

研究成果の発表（論文の著者、論文標題、雑誌名、巻・号、発行年、該当ページの順で記載。図書の場合は、著者名、書名、出版社等名、発行年、該当ページ、総ページの順で記載すること。）

糸原 重美

T. Mishiba, S. Itohara, T. Ohshima, 他4名, 6,7番目. Cdk5/p35 functions as a crucial regulator of spatial learning and memory. *Mol Brain.* 7(1), 2014, 82.

H. Matsukawa, S. Itohara, 他 10 名, 12 番目. Netrin-G/NGL complexes encode functional synaptic diversification. *J. Neurosci.* 34(47), 2014, 15779-15792.

R. Iwata, S. Itohara, 他 9 名, 10 番目. RacGAP α2-Chimaerin Function in Development Adjusts Cognitive Ability in Adulthood. *Cell Rep.* 8(5), 2014, 1257-64.

H. Arakawa, S. Itohara, 他 7 名, 7 番目. Thalamic NMDA receptor function is necessary for patterning of the thalamocortical somatosensory map and for sensorimotor behaviors. *J. Neurosci.* 34(36), 2014, 12001-12014.

井上 貴文

M. Homma, T. Inoue, 他 3 名, 4 番目. A retiometric fluorescent molecular probe for visualization of mitochondrial temperature in living cell. *Chemical Communications.* in press.

T. Inoue, 他 4 名. Observation of the ciliary movement of choroid plexus epithelial cells ex vivo. *The Journal of Visualized Experiments (JoVE).* in press.

K. Narita, T. Inoue, 他 5 名, 6 番目. TRPV4 regulates the integrity of the blood-cerebrospinal fluid barrier and modulates transepithelial protein transport. *FASEB Journal.* in press.

V.N. Samios, T. Inoue. Interleukin-1β and interleukin-6 affect electrophysiological properties of thalamic relay cells. *Neurosci Res.* 87, 2014, 16-25.

H. Odaka, T. Inoue, 他 2 名, 3 番目. Genetically-encoded yellow fluorescent cAMP indicator with expanded dynamic range for dual-color imaging. *PLoS ONE.* 2014, 9:e100252.

H. Odaka, T. Inoue, 他 6 名, 7 番目. Cabergoline, dopamine D2 receptor agonist, prevents neuronal cell death under oxidative stress via reducing excitotoxicity. *PLoS ONE*. 2014, 9:e99271.

X. He, T. Inoue, T. Ohshima, 他 10 名, 11 番目. Cdk5/p35 is required for motor coordination and cerebellar plasticity. *J Neurochem*. 131, 2014, 53-64.

Y. Kuwabara, T. Inoue, T. Ohshima, 他 4 名, 6, 7 番目. Impairments of LTD induction and motor coordination precede A β accumulation in the cerebellum of APPswe/PS1dE9 double transgenic mice. *J Neurochem*. 130, 2014, 432-443.

井上 宏子

T. Higuchi, J. Nishikawa, H. Inoue. Sucrose induces vesicle accumulation and autophagy. *J Cell Biochem*. 116(4), 2015, 609-617.

大島 登志男

T. Mishiba, S. Itohara, T. Ohshima, 他 4 名, 6,7 番目. Cdk5/p35 functions as a crucial regulator of spatial learning and memory. *Mol Brain*. 7(1), 2014, 82.

X. He, T. Ohshima, 他 10 名, 12 番目. Cdk5/p35 is required for motor coordination and cerebellar plasticity. *J. Neurochem*. 131, 2014, 53-64.

Y. Kuwabara, T. Inoue, T. Ohshima, 他 4 名, 6, 7 番目. Impairments of LTD induction and motor coordination precede A β accumulation in the cerebellum of APPswe/PS1dE9 double transgenic mice. *J Neurochem*. 130, 2014, 432-443.

岡本 仁

M. Aoki, H. Okamoto, 他2名, 4番目. Identification of possible downstream genes required for the extension of peripheral axons in primary sensory neurons. *Biochem Biophys Res Commun*. 445, 2014, 357-362.

N. Nishiya, H. Okamoto, 他8名, 9番目. A zebrafish chemical suppressor screening identifies small molecule inhibitors of the Wnt/β-catenin pathway. *Chem Biol.* 21, 2014, 530-540.

H. Okamoto. Neurobiology: sensory lateralization in the fish brain. *Curr Biol.* 24, 2014, R285-287.

H. Okamoto. Minicerebellum, now available for reductionists' functional study. *Proc Natl Acad Sci U S A.* 111(32), 2014, 11580-11581.

R. Amo, H. Okamoto, 他18名, 20番目. The habenulo-raphe serotonergic circuit encodes an aversive expectation value essential for adaptive active avoidance of danger. *Neuron.* 84, 2014, 1034-1048.

岡野 俊行

T. Takeuchi *, Y. Kubo*, K. Okano and T. Okano (*Equal contribution). Identification and characterization of cryptochrome4 in the ovary of western clawed frog *Xenopus tropicalis*. *Zool Sci.* 31, 2014, 152-159.

R. Toda, T. Okano, 他5名, 7番目. Hypothalamic expression and moonlight-independent changes of cry3 and per4 implicate their roles in lunar clock oscillators of the lunar-responsive goldlined spinefoot. *PLoS One.* 9 (10), 2014, e109119.

H. Mitsui, T. Okano, 他 6 名, 8 番目. Overexpression in yeast, photocycle, and in vitro structural change of an avian putative magnetoreceptor Cryptochrome4. *Biochemistry.* 54(10), 2015, 1908-1917.

岡野俊行 岡野恵子, 明るいところを暗いところはどちらが好き? マイコンを使って水棲動物の光走性実験を自動化する, 比較生理生化学会編「研究者が教える動物実験」, 共立出版 (印刷中)

加藤 尚志

S. Kameishi, T. Kato, 他 5 名, 6 番目. Remodeling of epithelial cells and basement membranes in a corneal deficiency model with long-term follow-up. *Lab Invest.* 95(2), 2015, 168-179.

Y. Tanizaki, T. Kato, 他 2 名, 4 番目. Cellular characterization of thrombocytes in *Xenopus laevis* with specific monoclonal antibodies. *Exp Hematol.* 43(2), 2015, 125-136.

Y. Yoshioka, T. Kato, 他 16 名, 16 番目. Ultra-sensitive liquid biopsy of circulating extracellular vesicles using ExoScreen. *Nat Commun.* 5, 2014, 3591.

黒木良太, 宮崎洋, 加藤尚志. トロンボポエチンとトロンボポエチン受容体の構造と作用. 特集：トロンボポエチン受容体作動薬の臨床応用～現況と展望～, 血液フロンティア, 25(2), 医薬ジャーナル, 2015, 171-180

永澤和道, 渡会敦子, 谷合正, 竹島功将, 加藤尚志. プロテオーム解析による比較生物学的ミッシングリンク探索の実際, 比較内分泌学, 40(135), 2014, 134-139.

加藤尚志. 生物の進化と赤血球造血. 臨床血液, 55(10), 2014, 1777-1784.

加藤尚志. 赤血球産生と鉄恒常性における環境応答系の探索. 臨床血液, 55(7), 2014, 735-742.

胡桃坂 仁志

K. Saikusa, H. Kurumizaka, 他 6 名, 6 番目. Charge-neutralization effect of the tail regions on the histone H2A/H2B dimer structure. *Protein Science.* 2015, in press.

H. Kono, H. Kurumizaka, 他 3 名, 5 番目. Two Arginine Residues Suppress the Flexibility of Nucleosomal DNA in the Canonical Nucleosome Core. *PLOS ONE.* 2015, in press.

Y. Ichikawa, H. Kurumizaka, 他 2 名, 3 番目. Nucleosome organization and chromatin dynamics in telomeres. *Biomol Concepts.* 6(1), 2015, 67-75.

D. Kato, H. Kurumizaka, 他 3 名, 5 番目. Human tNASP Promotes in Vitro Nucleosome Assembly with Histone H3.3. *Biochemistry.* 54(5), 2015, 1171-1179.

- K. Saikusa, H. Kurumizaka, 他 5 名, 5 番目. Mass Spectrometric Approach for Characterizing the Disordered Tail Regions of the Histone H2A/H2B Dimer. *Anal Chem.* 87(4), 2015, 2220-2227.
- K. Sato, H. Kurumizaka, 他 2 名, 4 番目. Defective FANCI binding by a fanconi anemia-related FANCD2 mutant. *PLOS ONE.* 9(12), 2014, e114752.
- Y. Arimura, H. Kurumizaka, 他 7 名, 9 番目. Crystal structure and stable property of the cancer-associated heterotypic nucleosome containing CENP-A and H3.3. *Sci Rep.* 4, 2014, 7115.
- G. Nishibuchi, H. Kurumizaka, 他 9 名, 9 番目. N-terminal phosphorylation of HP1 α increases its nucleosome-binding specificity. *Nucleic Acids Res.* 42(20), 2014, 12498-12511.
- A. Osakabe, H. Kurumizaka, 他 8 名, 9 番目. DNA binding properties of the actin-related protein Arp8 and its role in DNA repair. *PLOS ONE.* 9(10), 2014, e108354.
- H. Taguchi, H. Kurumizaka, 他 2 名, 4 番目. A method for evaluating nucleosome stability with a protein-binding fluorescent dye. *Methods.* 70(2-3), 2014, 119-126.
- Y. Hayashi-Takanaka, H. Kurumizaka, 他 3 名, 3 番目. Evaluation of chemical fluorescent dyes as a protein conjugation partner for live cell imaging. *PLOS One.* 9(9), 2014, e106271.
- D. Takahashi, H. Kurumizaka, 他 3 名, 5 番目. Expression and purification of human FANCI and FANCD2 using Escherichia coli cells. *Protein Expr Purif.* 103, 2014, 8-15.
- M. Sugiyama, H. Kurumizaka, 他 9 名, 11 番目. Distinct features of the histone core structure in nucleosomes containing the histone H2A.B variant. *Biophys J.* 106(10), 2014, 2206-2213.
- S. Machida, H. Kurumizaka, 他 14 名, 16 番目. Nap1 stimulates homologous recombination by RAD51 and RAD54 in higher-ordered chromatin containing histone H1. *Sci Rep.* 4, 2014, 4863.
- J. Unno, H. Kurumizaka, 他 10 名, 11 番目. FANCD2 binds CtIP and regulates DNA-end

resection during DNA interstrand crosslink repair. *Cell Rep.* 7(4), 2014, 1039-1047.

T. Urahama, H. Kurumizaka, 他 3 名, 5 番目. Structure of human nucleosome containing the testis-specific histone variant TSH2B. *Acta Crystallogr F Struct Biol Commun.* 70(Pt 4), 2014, 444-449.

越阪部晃永, 胡桃坂仁志, クロマチン構造基盤の多様性-古くて新しい動的構造体の不思議-
Structural Versatility of the Fundamental Unit of Chromatin, ナノ学会会報 13 卷, ナノ学会,
2015, 3-7.

越阪部晃永, 堀越直樹, 胡桃坂仁志, 構造生命科学で何がわかるのか, 何ができるのか, 羊土社
2014, 216-220.

胡桃坂仁志, 実験医学エピゲノムの本質はヒストンバリエントにあった! Vol32 No.13., 羊土社
2014, 2058-2063.

合田 亘人

YT. Hsieh, N. Goda, 他 7 名, 8 番目. Transcription profiles of the ductus arteriosus in Brown-Norway rats with irregular elastic fiber formation. *Circ J.* 78(5), 2014, 1224-33.

T. Suzuki, N. Goda, 他 3 名, 5 番目. Hypoxia and fatty liver. *World J Gastroenterol.* 20(41), 2014, 15087-97.

柴田 重信

Y. Ikeda, S. Shibata, 他 4 名, 6 番目. Feeding and adrenal entrainment stimuli are both necessary for normal circadian oscillation of peripheral clocks in mice housed under different photoperiods. *Chronobiol Int.* 2014, 1-16.

S. Narishige, S. Shibata, 他 6 名, 8 番目. Effects of caffeine on circadian phase, amplitude, and period evaluated in cells in vitro and peripheral organs in vivo in PER2:LUCIFERASE mice. *Br J Pharmacol.* 171(24), 2014, 5858-69.

- N. Aoki, S. Shibata, 他 5 名, 7 番目. A single daily meal at the beginning of the active or inactive period inhibits food deprivation-induced fatty liver in mice. *Nutr Res.* 34(7), 2014, 613-22.
- A. Okamura, S. Shibata, 他 6 名, 7 番目. Bile Acid-regulated Peroxisome Proliferator-activated Receptor- α (PPAR α) Activity Underlies Circadian Expression of Intestinal Peptide Absorption Transporter PepT1/SIc15a1. *J Biol Chem.* 289(36), 2014, 25296-305.
- H. Sasaki, S. Shibata, 他 3 名, 5 番目. Combination of meal and exercise timing with a high-fat diet influences energy expenditure and obesity in mice. *Chronobiol Int.* 2014, 1-17.
- A. Haraguchi, S. Shibata, 他 4 名, 6 番目. Controlling access time to a high-fat diet during the inactive period protects against obesity in mice. *Chronobiol Int.* 31(8), 2014, 935-44.
- S. Moriya, S. Shibata, 他 6 名, 8 番目. Effect of quetiapine on Per1, Per2, and Bmal1 clock gene expression in the mouse amygdala and hippocampus. *J Pharmacol Sci.* 125(3), 2014, 329-32.
- N. Ohnishi, S. Shibata, 他 3 名, 5 番目. Warm water bath stimulates phase-shifts of the peripheral circadian clocks in PER2::LUCIFERASE mouse. *PLoS One.* 9(6), 2014, e100272.
- Y. Nakamura, S. Shibata, 他 3 名, 4 番目. Disruption of the suprachiasmatic nucleus blunts a time of day-dependent variation in systemic anaphylactic reaction in mice. *J Immunol Res.* 2014, 474217.
- O. Kyoko, S. Shibata, 他 7 名, 8 番目. Expressions of tight junction proteins Occludin and Claudin-1 are under the circadian control in the mouse large intestine: implications in intestinal permeability and susceptibility to colitis. *PLoS One.* 9(5), 2014, e98016.
- N. Aoki, S. Shibata, 他 6 名, 8 番目. Involvement of 5-HT₃ and 5-HT₄ receptors in the regulation of circadian clock gene expression in mouse small intestine. *J Pharmacol Sci.* 124(2), 2014, 262-75.

Y. Tahara, S. Shibata. Chrono-biology, Chrono-pharmacology, and Chrono-nutrition. *J Pharmacol Sci. Review*, 124(3), 2014, 320-35.

鈴木 克彦

H. Sako, K. Suzuki. Exploring the importance of translational regulation in the inflammatory responses by a genome-wide approach. *Exer Immunol Rev.* 20, 2014, 55-67.

K. Kanda, K. Suzuki, 他 3 名, 5 番目. Evaluation of serum leaking enzymes and investigation into new biomarkers for exercise-induced muscle damage. *Exer Immunol Rev.* 20, 2014, 469-475.

M. Okutsu, K. Suzuki, 他 4 名, 6 番目. Corticosterone accelerates atherosclerosis in the apolipoprotein E-deficient mouse. *Atherosclerosis.* 232, 2014, 414-419.

S. Sawada, K. Suzuki, 他 6 名, 8 番目. Effect of aging and sex on circulating microRNAs in humans. *Adv. Aging Res.* 3, 2014, 152-159.

K. Sugama, K. Suzuki, 他 6 名. Changes of thioredoxin, oxidative stress markers, inflammation and muscle/renal damage following endurance exercise. *Exer Immunol Rev.* 21, 2015, 130-142.

仙波 憲太郎

T. Ito-Kureha, K. Semba, 他 6 名, 4 番目. Tropomodulin 1 Expression Driven by NF-kappaB Enhances Breast Cancer Growth. *Cancer Res.* 75, 2015, 62-72.

A. Doi, K. Semba, 他 10 名, 11 番目. Enhanced expression of retinoic acid receptor alpha (RARA) induces epithelial-to-mesenchymal transition and disruption of mammary acinar structures. *Molecular oncology.* 9, 2015, 355-364.

高西 淳夫

C. Fujii, H. Ishii, A. Takanishi. A comparison of the effects of different equipment used for venipuncture to aid in promoting more effective simulation education. *Journal of Blood Disorders & Transfusion.* 5(8), 2014, 1000228 1-7.

S. Qing, A. Takanishi, 他 4 名, 4 番目. Design and Control of a Biomimetic Robotic Rat for Interaction with Laboratory Rats. *IEEE/ASME Trans. on Mechatronics*. 99, 2014, 1-11.

A. Omer, A. Takanishi, 他 2 名, 4 番目. Study of Bipedal Robot Walking Motion in Low Gravity: Investigation and Analysis. *Int. J. of Advanced Robotic Systems*. 11(139), 2014, 1-14.

L. Jamone, A. Takanishi, 他 4 名, 6 番目. Autonomous online generation of a motor representation of the workspace for intelligent whole-body reaching. *Robotics and Autonomous Sys.* 62(4), 2014, 556-567.

K. Hashimoto, A. Takanishi, 他 3 名, 5 番目. Foot Placement Modification for a Biped Humanoid Robot with Narrow Feet. *The Scientific World J.* 2014, 259570.

K. Hashimoto, A. Takanishi, 他 2 名, 4 番目. Terrain-Adaptive Biped Walking Control Using Three-Point Contact Foot Mechanism Detectable Ground Surface, Advances on Theory and Practice of Robots and Manipulators. *Mechanisms and Machine Science*. 22, 2014, 255-263.

武田 直也

K. Nagase, N. Takeda, 他 9 名, 6 番目. Thermoresponsive cationic copolymer brushes for mesenchymal stem cell separation. *Biomacromolecules*. 16, 2015, 532-540.

J. Ito, N. Takeda, 他 9 名, 10 番目. Highly controllable three-dimensional sheath flow device for fabrication of artificial capillary vessels. *MEMS 2015*. 2015, 480-483.

R. Takagi, N. Takeda, 他 22 名, 16 番目. How to prevent contamination with *Candida albicans* during the fabrication of transplantable oral mucosal epithelial cell sheets. *Regenerative Therapy*. 1, 2015, 1-4.

竹山 春子

D. Nurdiani, H. Takeyama, 他 5 名, 7 番目. Analysis of the bacterial xylose isomerase gene diversity with gene targeted metagenomics. *Journal of Bioscience and Bioengineering*. 2015, doi:10.1016/j.jbiosc.2014.12.022

T. Mori, H. Takeyama, 他 5 名, 7 番目. Draft Genome Sequence of *Falsirhodobacter* sp. Strain alg1, an Alginate-Degrading Bacterium Isolated from Fermented Brown Algae. *Genome Announcement*. 2(4), 2014, e00826-14.

M. Hosokawa, H. Takeyama, 他 7 名, 9 番目. Droplet-based microfluidics for high-throughput screening of a metagenomic library for isolation of microbial enzymes. *Biosensors and Bioelectronics*. 67, 2015, 379-385.

R. Miyaoka, H. Takeyama, 他 4 名, 6 番目. In situ detection of antibiotics Amphotericin B produced in *Streptomyces nodosus* using Raman microspectroscopy. *Marine Drugs*. 12(5), 2014, 2827-2839.

T. Mori, H. Takeyama, Springer Handbook of Marine Biotechnology, Chapter 19: Marine Metagenome and Supporting Technology (分担執筆), Springer, 2015, 497-508

竹山春子, 海洋白書 2014 : 第 3 章 海洋産業の振興と創出 第 5 節 さらなる海洋産業の振興・創出に向けて 海洋バイオ産業 (分担執筆), 海洋政策研究財団, 2014, 64-67.

竹山春子, 他 4 名. 生命のビッグデータ利用の最前線 : 第 4 章 応用展開—モノづくり・環境への展開 第 4 節 海洋遺伝子資源の新しいオミックス解析への挑戦 (分担執筆), シーエムシー, 2014, 138-146.

田中 あかね、松田 浩珍

A. Tanaka, H. Matsuda, 他 8 名, 1, 10 番目. Ultra-pure Soft Water Ameliorates Atopic Skin Disease by Preventing Metallic Soap Deposition in NC/Tnd Mice and Reduces Skin Dryness in Humans. *Acta Derm Venereol*. 2015 Mar 5. In press. doi: 10.2340/00015555-2083.

Y. Togawa, A. Tanaka, H. Matsuda, 他 6 名, 7, 8 番目. Ultra-pure soft water improves skin barrier function in children with atopic dermatitis: a randomized, double-blind, placebo-controlled, crossover pilot study. *J Dermatol Sci*. 76, 2014, 269-71.

Y. Xia, A. Tanaka, H. Matsuda, 他 5 名, 2, 8 番目. Distinct Reactivity of Transient Receptor Potential Vanilloid Subtype 1 in a Murine Model of Atopic Dermatitis with Serious Scratching. *The Open Allergy Journal.* 7, 2014, 10-16.

T. Furusaka, A. Tanaka, H. Matsuda, 他 3 名. Cervical branch of the facial nerve approach for retrograde parotidectomy compared with anterograde parotidectomy. *Acta Otolaryngol.* 134, 2014, 1192-7.

T. Furusaka, A. Tanaka, H. Matsuda, 他 3 名, 3, 4 番目. A new combined therapy for functional organ preservation and survival in lateral oropharyngeal wall cancer. *Acta Otolaryngol.* 134, 2014, 872-80.

R. Chiba, A. Tanaka, H. Matsuda, 他 2 名, 3, 5 番目. Nerve growth factor promotes killing of *Leishmania donovani* by macrophages through the induction of hydrogen peroxide. *Microbes Infect.* 16, 2014, 702-6.

K. Oida, H. Matsuda, A. Tanaka, 他 9 名, 11, 12 番目. Nuclear factor- κ B plays a critical role in both intrinsic and acquired resistance against endocrine therapy in human breast cancer cells. *Sci Rep.* 17;4, 2014, 4057.

S. Nishikawa, A. Tanaka, H. Matsuda, 他 8 名, 2, 11 番目. A molecular targeting against nuclear factor- κ B, as a chemotherapeutic approach for human malignant mesothelioma. *Cancer Med.* 3, 2014, 416-25.

筒井 和義

S. Thakur, K. Tsutsui, 他 3 名, 4 番目. Duration of melatonin regulates seasonal neural plasticity in subtropical Indian weaver bird, *Ploceus philippinus*. *Gen Comp Endocrinol.* 2014, doi: 10.1016/j.ygcen.2014.06.004 (in press).

T. Sasanami, K. Tsutsui, 他 9 名, 11 番目. A unique mechanism of successful fertilization in a domestic bird. *Scientific Reports.* 5, 2015, 7700.

K. Ikegami, K. Tsutsui, 他 13 名, 12 番目. Low temperature-induced circulating triiodothyronine accelerates seasonal testicular regression. *Endocrinology*. 156(2), 2014, 647-659.

S. Anjum, A. Krishna and K. Tsutsui. Inhibitory roles of the mammalian GnIH ortholog RFRP-3 in testicular activities in adult mice. *J Endocrinol*. 223(1), 2014, 79-91.

C. Pinelli, K. Tsutsui, 他 3 名, 4 番目. Neuroanatomical organization of brain gonadotropin-inhibitory hormone and gonadotropin-releasing hormone systems in the frog, *Pelophylax esculentus*. *Brain Behav Evol*. 2014, doi:10.1159/000368594 (in press).

B. McConn, K. Tsutsui, 他 7 名, 6 番目. Gonadotropin-inhibitory hormone-stimulation of food intake is mediated by hypothalamic effects in chicks. *Neuropeptides*. 48(6), 2014, 327-34.

Y. Tobari, K. Tsutsui, 他 3 名, 5 番目. A new pathway mediating social effects on the endocrine system: female presence acting via norepinephrine release stimulates gonadotropin-inhibitory hormone in the paraventricular nucleus and suppresses luteinizing hormone in quail. *J Neurosci*. 34(29), 2014, 9803-9811.

S. Biswas, K. Tsutsui, 他 3 名, 5 番目. GnIH and GnRH expressions in the central nervous system and pituitary of Indian major carp, *Labeo rohita* during ontogeny: An immunocytochemical study. *Gen Comp Endocrinol*. 2014, doi: 10.1016/j.ygcen.2014.06.005 (in press).

M. Mita, K. Tsutsui, 他 4 名, 6 番目. Involvement of Gas-proteins in the action of relaxin-like gonad-stimulating substance on starfish ovarian follicle cells. *Gen Comp Endocrinol*. 205, 2014, 80-87.

T. Osugi, K. Tsutsui, 他 5 名, 7 番目. Evolutionary origin of GnIH and NPFF in chordates: Insights from novel amphioxus RFamide peptides. *PLoS ONE*. 9(7), 2014, e100962.

M. R. J. Shirazi, K. Tsutsui 他 7 名, 8 番目. Differential expression of RFamide-related peptide, a mammalian gonadotrophin-inhibitory hormone orthologue, and kisspeptin in the hypothalamus of

Abadeh ecotype does during breeding and anoestrous seasons. *J Neuroendocrinol.* 26(3), 2014, 186-194.

Y. L. Son, K. Tsutsui, 他 6 名, 8 番目. Molecular basis for the activation of gonadotropin-inhibitory hormone gene transcription by corticosterone. *Endocrinology.* 155(5), 2014, 1817-26.

L. J. Kriegsfeld, K. Tsutsui, 他 2 名, 4 番目: Review: Seasonal control of gonadotropin-inhibitory hormone (GnIH) in birds and mammals. *Front Neuroendocrinol.* 2014, doi: 10.1016/j.yfrne.2014.12.001 (in press).

T. Osugi, T. Ubuka and K. Tsutsui. Review: An evolutionary scenario for GnIH in chordates. *J Neuroendocrinol.* 2014, doi: 10.1111/jne.12246 (in press).

T. Osugi, T. Ubuka and K. Tsutsui. Review: Evolution of GnIH and related peptides structure and function in the chordates. *Front Neurosci.* 8, 2014, 255.

T. Ubuka and K. Tsutsui. Review: Evolution of gonadotropin-inhibitory hormone receptor and its ligand. *Gen Comp Endocrinol.* 209, 2014, 148-61.

K. Tsutsui and T. Ubuka. Review: Breakthrough in neuroendocrinology by discovering novel neuropeptides and neurosteroids: 1) Discovery of gonadotropin-inhibitory hormone (GnIH) across vertebrates. *Gen Comp Endocrinol.* 205, 2014, 4-10.

K. Tsutsui and S. Haraguchi. Review: Breakthrough in neuroendocrinology by discovering novel neuropeptides and neurosteroids: 2) Discovery of neurosteroids and pineal neurosteroids. *Gen Comp Endocrinol.* 205, 2014, 11-22.

T. Ubuka and K. Tsutsui. Review: Gonadotropin-inhibitory hormone inhibits aggressive behavior of male quail by increasing neuroestrogen synthesis in the brain beyond its optimum concentration. *Gen Comp Endocrinol.* 205, 2014, 49-54.

K. Ukena, K. Tsutsui, 他3名, 5番目. Review: Molecular evolution and function of 26RFa/QRFP

and its cognate receptor. *J Mol Endocrinol.* 52(3), 2014, T119-T131.

K. Tsutsui and S. Haraguchi. Review: Biosynthesis and biological action of pineal allopregnanolone. *Front Cell Neurosci.* 8, 2014, 118.

T. Ubuka, K. Tsutsui, 他 2 名, 4 番目. Gonadotropin-inhibitory hormone actions in the brain and pituitary. In: *The E-Book: Frontiers Research Topic on Neuropeptide GPCRs in Neuroendocrinology*. H. Vaudry and J. Y. Seong (eds), Published in *Frontiers in Endocrinology*, 2014, 211-224.

常田 聰

K. A. Salam, S. Tsuneda, 他 10 名, 4 番目. PBDE: Structure-Activity Studies for the Inhibition of Hepatitis C Virus NS3 Helicase. *Molecules.* 19(4), 2014, 4006-4020.

Y. Edahiro, S. Tsuneda, 他 16 名, 15 番目. JAK2V617F Mutation Status and Allele Burden in Classical Ph-Negative Myeloproliferative Neoplasms in Japan. *Int J Hematology.* 99(5), 2014, 625-634.

S.-H. Park, S. Tsuneda, 他 7 名, 8 番目. Phosphorylated Gelatin to Enhance Cell Adhesion to Titanium. *Polymer International.* 63, 2014, 1616-1619.

T. Murano, Y. Kagawa, S. Tsuneda. Mathematical Modeling of Spatio-Temporal Cellular Dynamics in Colonic Crypts Following Irradiation. *Cell Proliferation.* 47(4), 2014, 347-355.

H. Takei, S. Tsuneda, 他 9 名, 9 番目. Detection of MPLW515L/K Mutations and Determination of Allele Frequencies with a Single-Tube PCR Assay. *PLOS ONE.* 9(8), 2014, e104958.

H. Fujitani, S. Tsuneda, 他 2 名, 3 番目. Isolation of Sublineage I *Nitrospira* by a Novel Cultivation Strategy. *Environ Microbiol.* 16(10), 2014, 3030-3040.

Y. Kagawa, S. Tsuneda, 他 5 名, 7 番目. Modeling the Nutrient Removal Process in Aerobic Granular Sludge System by Coupling the Reactor- and Granule-Scale Models. *Biotechnol*

Bioeng. 112(1), 2015, 53-64.

C-Y Hsieh, S. Tsuneda, 他4名, 6番目. Strengthening of the Intestinal Epithelial Tight Junction by *Bifidobacterium bifidum*. *Physiological Reports.* 3(3), 2015, e12327.

土肥 多恵子

T. Oshio, T. Dohi, 他12名, 14番目. Chemokine receptor CCR8 is required for lipopolysaccharide-triggered cytokine production in mouse peritoneal macrophages. *PLOS ONE.* 9(4) 2014, e94445.

Y. Obata, T. Dohi, 他20名, 14番目. The epigenetic regulator Uhrf1 facilitates the proliferation and maturation of colonic regulatory T cells. *Nat Immunol.* 15(8), 2014, 571-579.

T. Dohi, R. Kawashima, 他6名. Pathological activation of canonical nuclear-factor kappaB by synergy of tumor necrosis factor alpha and TNF-like weak inducer of apoptosis in mouse acute colitis. *Cytokine.* 69(1), 2014, 14-21.

YI. Kawamura, T. Dohi, 他5名, 7番目. Therapeutic adenoviral gene transfer of a glycosyltransferase for prevention of peritoneal dissemination and metastasis of gastric cancer. *Cancer Gene Ther.* 21(10), 2014, 427-33.

L. Yang, T. Dohi, 他10名, 7番目. Interferon-gamma-producing B cells induce the formation of gastric lymphoid follicles after Helicobacter suis infection. *Mucosal Immunol.* 8(2), 2015, 279-295

T. Otsubo, T. Dohi, 他8名, 9番目. Aberrant DNA hypermethylation reduces the expression of the desmosome-related molecule periplakin in esophageal squamous cell carcinoma. *Cancer Medicine.* 2015, doi: 10.1002/cam4.369. [Epub ahead of print].

T. Otsubo, T. Dohi, 他4名, 5番目. Retrotransposition of long interspersed nucleotide element-1 is associated with colitis but not tumors in a murine colitic cancer model. *PLOS ONE.* 2015; In press.

土肥 多恵子, 医学のあゆみ, 腸内細菌と疾患 ; 腸内細菌叢 251(1), 2014, 69-74.

南沢 享

U. Yokoyama, S. Minamisawa, 他 9 名. Prostaglandin E2 inhibits elastogenesis in the ductus arteriosus via EP4 signaling. *Circulation*. 129(4), 2014, 487-96.

T. Akaike, S. Minamisawa. Role of ion channels in ductus arteriosus closure. *Human Genet Embryol.* 3: 116, 2014. doi:10.4172/2161-0436.1000116 (総説)

YT. Hsieh, N. Goda, S. Minamisawa, 他 6 名, 8, 9 番目. Transcription profiles of the ductus arteriosus in Brown-Norway rat with irregular elastic fiber formation. *Circ J.* 78 (5), 2014, 1224-33.

T. Yokota, S. Minamisawa, 他 5 名, 7 番目. Thromboxane A2 receptor stimulation promotes closure of the rat ductus arteriosus through enhancing neointima formation. *PLoS One*. 9(4), 2014, e94895.

Q. Jiao, S. Minamisawa, 他 3 名, 5 番目. αB-Crystallin R120G variant causes cardiac arrhythmias and alterations in the expression of Ca²⁺ handling proteins and ER stress in mice. *Clin Exp Pharmacol Physiol*. 41(8), 2014, 589-99.

宮浦 千里

C. Matsumoto, C. Miyaura, 他 5 名, 6 番目. Heptamethoxyflavone, a citrus flavonoid, suppresses inflammatory osteoclastogenesis and alveolar bone resorption. *Biosci. Biotechnol. Biochem.* 79(1):155-8. 2014

松本千穂, 稲田全規, 宮浦千里, THE BONE, 特集『ステロイドホルモンと骨 一基礎から臨床まで』 II. 性ステロイドと骨代謝 2.エストロゲンと骨代謝, メディカルレビュー社, 2014, VOL.28 NO.4 49-55,